(12) UK Patent Application (19) GB (11) 2 284 831 (13) A

(43) Date of A Publication 21.06.1995

(21) Application No 9425480.2

(22) Date of Filing 16.12.1994

(30) Priority Data (31) **08169449**

(32) 17.12.1993

(33) US

(71) Applicant(s)

Kimberly-Clark Corporation

(Incorporated in USA - Delaware)

PO Box 349, 401 North Lake Street, Neenah, Wisconsin 54957-0349, United States of America

(72) Inventor(s)

Mary Eva Garvie Weber Stanley Michael Gryskiewicz Pamela Jean Mayberry James Arthur Davis Michael Tod Morman Gary Howard Meitner Leslie Warren Collier IV Nancy Donaldson Kollin Douglas Bryan Cole (51) INT CL⁶
A61F 13/15 13/46 , B65D 65/38

(52) UK CL (Edition N)

D1R RBF R151 R201 R307 R308 R309 R310 R318 R353

R458 R461 R519

A4F FD11 FQP

A5R RPC

B8C CWS5

B8P PD

U1S S1122 S1231 S1376 S1814

(56) Documents Cited

EP 0518340 A1 EP 0321985 A2

WO 91/11161 A1 WO 91/09582 A1

US 4840734 A

(58) Field of Search

UK CL (Edition N) A4F FQAB FQP, A5R RPC RPL, D1R

RAA RBF RCA RFQ RGQ


INT CL6 A47L, A61F, B65D

Online databases:WPI


(74) Agent and/or Address for Service Frank B Dehn & Co Imperial House, 15-19 Kingsway, LONDON, WC2B 6UZ, United Kingdom

(54) Liquid absorbent materials e.g.for personal care absorbent articles

(57) A liquid-absorbent material suitable for a liner material 12 for personal care absorbent articles such as diapers contains a plurality of peaks 48 across its surface at spaced-apart intervals separated by channels 51. Disposed within the peaks is a liquid absorbing material 50 capable of absorbing body exudates and liquids in general. The material of the present invention has other uses as, for example, a packing or liner material for packaging and shipping materials containing liquids. In addition, the peaks can contain other additive such as soaps so the material can be used as a wash pad or cloth. The material 50 may be contained in tubular compartments as shown and may be rolled or folded. Alternatively it may be layered within trapezium-shaped compartments. The outer skin 40 is suitably nonwoven. The material 50 is also preferably fibre or fibrous material. Superabsorbent particles may also be used and odour-reducing or anti-microbial agents may be included.



Best Available Copy






FIG.4




FIG.5




FIG.6a




FIG.6b




FIG.6c




FIG.6d









FIG.6e











51 -48 -51 / 48

24

28a

Claims:

5

15

25

30

35

- 1. A liquid absorbing liner material comprising a plurality of peaks on its surface at spaced-apart intervals separated by channels, and a liquid absorbing material disposed within the peaks for receiving liquids.
- 2. The liquid absorbing liner material of claim 1, 10 comprising:
 - a facing layer and a support layer, said facing layer being joined to said support layer by a plurality of spaced-apart bonds, said facing layer and support layer between pairs of bonds forming peaks, said peaks being spaced from one another by channels, and
 - a liquid absorbing material disposed within said peaks for receiving liquids.
- 3. The liquid absorbent liner material of claim 1, 20 comprising:
 - a facing layer containing a plurality of pairs of first and second folds, each of said first and second folds forming respective first and second fold lines, said facing layer being joined to itself generally along said first and second fold lines to form a plurality of spaced-apart peaks, said peaks being spaced from one another by channels, and
 - a liquid absorbing material disposed within said peaks for receiving liquids.
 - 4. A personal care absorbent article comprising:
 a liner material comprising a plurality of peaks on
 its surface at spaced-apart intervals separated by
 channels, and a liquid absorbing material disposed
 within the peaks for receiving liquid.
 - 5. The personal care absorbent article of claim 4,

comprising:

5

15

30

35

said liner material and a backsheet with an absorbent core disposed therebetween, said liner material comprising a facing layer and a support layer, said facing layer being joined to said support layer by a plurality of spaced-apart bonds, said facing layer and said support layer between pairs of bonds forming peaks, said peaks being spaced from one another by channels, and

- a liquid absorbing material disposed within said peaks for receiving body exudates.
 - 6. The personal care absorbent article of claim 5, wherein said liquid absorbing material contacts said support layer.
 - 7. The personal care absorbent article of claim 4, comprising:

absorbent core disposed therebetween, said liner material comprising a facing layer containing a plurality of pairs of first and second folds, each of said first and second folds forming respective first and second fold lines, said facing layer being joined to itself generally along said first and second fold lines to form a plurality of spaced-apart peaks, said peaks being spaced from one another by channels, and

a liquid absorbing material disposed within said peaks for received body exudates.

8. The personal care absorbent article of claim 4, comprising:

said liner material and a backsheet with an absorbent core disposed therebetween, said liner material comprising a facing layer with a plurality of liquid absorbent peaks attached at spaced-apart intervals to a surface of said facing layer opposed to

said backsheet and absorbent core.

5

- 9. The personal care absorbent article of any one of claims 5 to 8, wherein said liner material is separated from said absorbent core by a separation layer of fibrous nonwoven web material.
- The personal care absorbent article of claim 9, wherein said separation layer is joined to said
 backsheet along a left side edge and a right side edge with said absorbent core disposed between said backsheet and said separation layer.
- 11. The personal care absorbent article of claim 10,
 wherein said liner material is attached to said
 separation layer on a side of said separation layer
 opposed from said absorbent core, said separation layer
 further including leg dams extending upwardly from a
 same side of said separation layer as said liner

 20 material, said leg dams and said left and right side
 edges defining zones between said leg dams and said left
 and right sides respectively which are essentially
 devoid of said liner material.
- 25 12. The personal care absorbent article of claim 4, comprising:

said liner material and a backsheet joined to said liner material, said liner material comprising a facing layer and a support layer, said facing layer being

- joined to said support layer by a plurality of spacedapart bonds, said facing layer and said support layer between pairs of bonds forming peaks, said peaks being spaced from one another by channels, and
- a liquid absorbing material disposed within said peaks for receiving body exudates.
 - 13. The personal care absorbent article of claim 12,

wherein said liquid absorbing material contacts said support layer.

14. The personal care absorbent article of claim 4, comprising:

5

10

said liner material and a backsheet joined to said liner material, said liner material comprising a facing layer containing a plurality of pairs of first and second folds, each of said first and second folds forming respective first and second fold lines, said facing layer being joined to itself generally along said first and second fold lines to form a plurality of spaced-apart peaks separated by channels, and

a liquid absorbing material disposed within said peaks for receiving body exudates.

15. The personal care absorbent article of claim 4, comprising:

said liner material and a backsheet joined to said liner material, said liner material comprising a facing layer with a plurality of liquid absorbent peaks attached at spaced-apart intervals to a surface of said facing layer opposed to said backsheet.

- 16. The personal care absorbent article of claim 12, 13, 14 or 15, wherein said backsheet is breathable and said liner material forming said channels is in contact with said breathable backsheet.
- 17. The personal care absorbent article of any one of claims 5 to 16, wherein said facing layer is made from a fibrous nonwoven web.
- 18. The personal care absorbent article of claim 17, wherein said fibrous nonwoven web includes bicomponent fibers.

19. The personal care absorbent article of any one of claims 5 to 18, wherein said facing layer further defines a plurality of apertures extending through said facing layer.

5

- 20. The personal care absorbent article of any one of claims 5 to 19, wherein said backsheet is breathable.
- 21. The personal care absorbent article of any one of claims 4 to 20, wherein at least one of said peaks further contains a superabsorbent material.
 - 22. The personal care absorbent article of any one of claims 4 to 21, wherein at least one of said peaks further contains an odour reducing agent.
 - 23. The personal care absorbent article of any one of claims 4 to 22, wherein said liquid absorbing material disposed within said peaks is a fibrous nonwoven web.

20

25

15

- 24. The personal care absorbent article of claim 23, wherein said fibrous nonwoven web contained within said peaks has opposing first and second exterior surfaces and a plurality of pores dispersed within said web, said web defining a pore size gradient from said first exterior surface to said second exterior surface, said pores adjacent said first exterior surface being larger than said pores adjacent said second exterior surface.
- 25. The personal care absorbent article of claim 24, wherein said fibrous nonwoven web within said peaks is folded over on itself such that said second exterior surface contacts itself.
- 26. The personal care absorbent article of any one of claims 23 to 25, wherein said fibrous nonwoven web contained within said peaks is made from a blend

including polyethylene sheath/polyester core bicomponent fibers, rayon fibers and polyester fibers.

27. The personal care article of any one of claims 4 to
26 wherein said article defines a front edge, a back
edge, a left side edge and a right side edge, said liner
material further defining a front portion adjacent said
front edge and a back portion adjacent said back edge,
said front portion and said back portion being separated
by a central portion, said central portion being devoid
of said peaks.

10

- 28. The personal care absorbent article of any one of claims 4 to 27, wherein said article defines a front edge, a back edge, a left side edge and a right side edge, said liner material having a dam extending across said liner material in a direction generally parallel to at least one of said front edge and said back edge.
- 29. The personal care absorbent article of claim 28, wherein said dam is formed by a fold in said liner material.
- 30. The personal care absorbent article of any one of claims 4 to 29, wherein said article defines a front edge and a back edge, a left side edge and a right side edge, said peaks having closed ends adjacent said front edge and said back edge.
- 30 31. A liquid absorbing liner material substantially as hereinbefore described with reference to any of the accompanying drawings.
- 32. A personal care absorbent article substantially as hereinbefore described with reference to any of the accompanying drawings.

| Patents Act 1977 "caminer's report "ne Search report | to the Comptroller under Section 17 | Application number GB 9425480.2 | |
|--|--|--|--|
| Relevant Technical Fields | | Search Examiner MR A LITTLEJOHN | |
| (i) UK Cl (Ed.N) | A4F (FQAB, FQP); A5R (RPC, RPĻ); D1R (RAA, RBF, RCA, RFQ, RGQ) | | |
| (ii) Int Cl (Ed.6) | A47L; A61F; B65D | Date of completion of Search 21 FEBRUARY 1995 | |
| Databases (see below) (i) UK Patent Office collections of GB, EP, WO and US patent specifications. | | Documents considered relevant following a search in respect of Claims:- 1-32 | |
| (ii) ONLINE DATA | ABASES: WPI | | |

Categories of documents

| X : | Document indicating lack of novelty or of inventive step. | P: | Document published on or after the declared priority date but before the filing date of the present application. |
|------------|---|----|---|
| Y: | Document indicating lack of inventive step if combined with one or more other documents of the same category. | E: | Patent document published on or after, but with priority date carlier than, the filing date of the present application. |
| A: | Document indicating technological background and/or state of the art. | &: | Member of the same patent family; corresponding document. |

| Category | Ide | Relevant to claim(s) | |
|----------|----------------|---|--|
| X | EP 0518340 A1 | (McNEIL) see whole document, eg. Figure 8 and page 5 lines 1 to 5 | 1, 2, 4, 12, 13, 15, 16, 17, 20, 21, 22, 30 |
| x | EP 0321985 A2 | (KIMBERLY-CLARK) see whole document, eg. Figures 4, 7, 11, 13, 20 | 1, 4, 9, 10, 15-20, 23, 26, 30 |
| X | EP 0067916 A1 | (JOHNSON & JOHNSON) see whole document, eg. Figures 5 and 8 | 1 |
| X | US 4840734 | (JOHNSON) see whole document | 1, 2 |
| x | WO 91/11161 A1 | (SMITH & NEPHEW) see whole document, eg. Figures 2 and 4 | 1, 4, 23 |
| x | WO 91/09582 A1 | (MOLNLYCKE) see whole document, eg. Figure 4 | 1, 2, 4, 5, 6, 8, 9, 10, 12, 13, 15-18, 20-22, 30 |
| | | · | |

Databases: The UK Patent Office database comprises classified collections of GB, EP, WO and US patent specifications as outlined periodically in the Official Journal (Patents). The on-line databases considered for search are also listed periodically in the Official Journal (Patents).

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.